Butler (BT) 2020 Rankings

| County | Demogra | ohics |
|---------|-----------|--------|
| Confire | Donnograp | 011100 |

| | County | State | |
|--|--------|-----------|--|
| Population | 14,539 | 3,156,145 | |
| % below 18 years of age | 22.5% | 23.2% | |
| % 65 and older | 22.3% | 17.1% | |
| % Non-Hispanic Black | 0.3% | 3.8% | |
| % American Indian & Alaska Native | 0.2% | 0.5% | |
| % Asian | 0.9% | 2.7% | |
| % Native Hawaiian/Other Pacific Islander | 0.0% | 0.1% | |
| % Hispanic | 1.4% | 6.2% | |
| % Non-Hispanic White | 96.5% | 85.3% | |
| % not proficient in English | 0% | 2% | |
| % Females | 50.1% | 50.2% | |
| % Rural | 100.0% | 36.0% | |
| | | | |

| | Butler County | Error Margin | Top U.S. Performers ^ | Iowa | Rank (of 99) |
|------------------------------|------------------|-----------------|--------------------------|-------|--------------|
| Health Outcomes | | | | | 29 |
| Length of Life | | | | | 63 |
| | | | | | |
| Premature death | 6,700 | 5,200-8,300 | 5,500 | 6,200 | |
| Quality of Life | | | | | 9 |
| | | | | | |
| Poor or fair health ** | 12% | 12-13% | 12% | 14% | |
| Poor physical health days ** | 2.8 | 2.7-3.0 | 3.1 | 3.3 | |
| Poor mental health days ** | 3.4 | 3.2-3.6 | 3.4 | 3.6 | |
| Low birthweight | 5% | 4-7% | 6% | 7% | |

Additional Health Outcomes (not included in overall ranking)

| Life expectancy | 78.7 | 77.3-80.0 | 81.1 | 79.4 |
|----------------------------------|------|-----------|------|------|
| Premature age-adjusted mortality | 360 | 300-410 | 270 | 320 |
| Child mortality | | | 40 | 50 |
| Infant mortality | | | 4 | 5 |
| Frequent physical distress | 9% | 8-9% | 9% | 10% |
| Frequent mental distress | 11% | 10-11% | 11% | 11% |
| Diabetes prevalence | 11% | 7-17% | 7% | 10% |
| HIV prevalence | | | 41 | 98 |

| · | | | | | |
|----------------------------------|-----|--------|-----|-----|----|
| Health Factors | | | | | 42 |
| Health Behaviors | | | | | 52 |
| | | | | | |
| Adult smoking ** | 15% | 14-16% | 14% | 17% | |
| Adult obesity | 33% | 26-41% | 26% | 33% | |
| Food environment index | 7.6 | | 8.6 | 8.2 | |
| Physical inactivity | 28% | 21-35% | 20% | 24% | |
| Access to exercise opportunities | 64% | | 91% | 83% | |

| Physical inactivity | 28% | 21-35% | 20% | 24% |
|----------------------------------|-------|--------|-------|-------|
| Access to exercise opportunities | 64% | | 91% | 83% |
| Excessive drinking ** | 21% | 20-22% | 13% | 22% |
| Alcohol-impaired driving deaths | 50% | 32-65% | 11% | 27% |
| Sexually transmitted infections | 301.2 | | 161.4 | 441.6 |
| Teen births | 13 | 9-18 | 13 | 19 |
| | | | | |

Additional Health Behaviors (not included in overall ranking)

| Food insecurity | 10% | | 9% | 11% |
|---------------------------------|-----|------|----|-----|
| Limited access to healthy foods | 13% | | 2% | 6% |
| Drug overdose deaths | | | 10 | 10 |
| Motor vehicle crash deaths | 15 | 9-25 | 9 | 11 |

| /21/2020 | Butler County, low | a County Health Rar | nkings & Roadmaps | | |
|---|---|--------------------------------------|--|--|----|
| Insufficient sleep | 25% | 24-26% | 27% | 28% | |
| Clinical Care | | _ | | | 67 |
| Uninsured Primary care physicians Dentists Mental health providers Preventable hospital stays Mammography screening Flu vaccinations | 5% 7,300:1 3,630:1 1,620:1 4,170 56% 45% | 4-6% | 6% 1,030:1 1,240:1 290:1 2,761 50% 53% | 5% 1,370:1 1,500:1 640:1 3,808 51% 53% | |
| Additional Clinical Care (no | t included in o | overall ranki | ng) | | |
| · | | | · | | |
| Uninsured adults Uninsured children Other primary care providers | 6% 3% 1,615:1 | 5-7% 2-5% | 7% 3% 665:1 | 7% 3% 990:1 | |
| Social & Economic Factors | | | | | 17 |
| High school graduation Some college Unemployment Children in poverty Income inequality Children in single-parent households Social associations Violent crime Injury deaths | 99% 70% 2.7% 11% 3.7 20% 20.5 10 | 64-77% 8-15% 3.3-4.0 15-24% | 96% 73% 2.6% 11% 3.7 20% 18.4 63 | 91% 70% 2.5% 14% 4.2 29% 15.2 282 67 | |
| Additional Social & Econon | nic Factors (no | ot included i | n overall ra | ınking) | |
| Disconnected youth Reading scores Math scores Median household income | 3.3 3.2 \$58,000 | \$53,100-62,800 | 4% 3.4 3.4 \$69,000 | 5% 3.1 3.1 \$60,100 | |

| Disconnected youth | | | 4% | 5% |
|---|----------|-----------------|----------|----------|
| Reading scores | 3.3 | | 3.4 | 3.1 |
| Math scores | 3.2 | | 3.4 | 3.1 |
| Median household income | \$58,000 | \$53,100-62,800 | \$69,000 | \$60,100 |
| Children eligible for free or reduced price lunch | 32% | | 32% | 40% |
| Residential segregation - Black/White | | | 23 | 62 |
| Residential segregation - non-white/white | 26 | | 14 | 48 |
| Homicides | | | 2 | 2 |
| Suicides | | | 11 | 14 |
| Firearm fatalities | | | 8 | 9 |
| Juvenile arrests | 9 | | | 37 |
| Physical Environment | | | | |

| Air pollution - particulate matter ** Drinking water violations | 9.1 Yes | | 6.1 | 9.0 |
|---|------------|--------|-----|-----|
| Severe housing problems | 8% | 6-10% | 9% | 12% |
| Driving alone to work | 81% | 79-84% | 72% | 81% |
| Long commute - driving alone | 35% | 32-39% | 16% | 20% |

Additional Physical Environment (not included in overall ranking)

| Traffic volume | 199 | | | 1,461 |
|----------------------------|-----|--------|-----|-------|
| Homeownership | 79% | 77-81% | 81% | 71% |
| Severe housing cost burden | 8% | 6-10% | 7% | 10% |

Areas of Strength

^ 10th/90th percentile, i.e., only 10% are better.
** Data should not be compared with prior years
Note: Blank values reflect unreliable or missing data